

PATENT APPLICATION
Docket No. 7678.614

of

Neil T. Jessop

and

Dan E. Fischer, D.D.S.

for

DENTAL BONDING COMPOSITIONS FOR ADHERING AMALGAM RESTORATIVES TO DENTAL SUBSTRATES

WORKMAN, NYDEGGER & SEELEY
A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111

BACKGROUND OF THE INVENTION

1. The Field of the Invention

The invention is in the field of dental restoration compositions and methods, more particularly in the field of compositions and methods for bonding an amalgam restorative to a dental substrate. The bonding compositions are cured in steps to promote enhanced adhesion of the amalgam to the dental substrate.

2. The Relevant Technology

In the field of dental restorations, a variety of materials have been used to fill and restore cavities and other defects in a person's teeth. These include metals, such as gold, silver, platinum, alloy, and amalgams, curable polymers such as polyalkyl methacrylates, polycarbonates, cured products of polyfunctional vinyl monomers, composite resins comprising fillers and the aforementioned polymers, and ceramics such as porcelain. Because such materials do not readily adhere to dental tissues, the tooth, and in particular the pulp, should be sealed or capped in order for the tooth to remain vital and avoid being infected with bacteria.

Polymeric restoration materials such as composites, as opposed to metal-based restoration materials such as amalgam, are fairly compatible with bonding agents and adhesives. This quality allows composites and other polymeric restoration materials to be directly bonded to the teeth, thereby allowing such materials to be firmly and sealingly attached to the patient's tooth, regardless of the shape of the hollow or dental preparation formed in the tooth. This allows the dental practitioner to remove only so much of the decayed or damaged tooth as will prevent further damage or decay to the tooth once the dental preparation has been sealed and filled using a combination of the composite restoration material and bonding agent. In addition, composite restoratives can be formulated to match the color of the patient's teeth, thus resulting in a more cosmetically pleasing tooth

336-432-6666

WORKMAN, NYDEGGER & SEELEY

A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111

1 restoration compared to amalgam or other metal restoratives, which typically assume the
2 color of the metal or metals that make up the restorative.

3 Amalgams and other metal restoratives are generally incapable of forming a strong
4 bond with dental substrates, even when used in combination with conventional adhesive
5 bonding agents. Restoration techniques that involve the use of amalgam or other metal
6 restoratives typically require the removal of much larger quantities of the dental substrate,
7 as compared to composite restorative techniques, in order to provide for mechanical
8 overhangs of dental tissue that mechanically retain the cured or hardened metal restoration
9 material within the dental preparation. Thus, in contrast to restoring a tooth using a polymer-
10 based restoration materials, the practitioner must not only remove the decayed or damaged
11 portion of the tooth but also so much of the surrounding **healthy and undamaged tooth** as
12 will result in a dental preparation of the proper shape for mechanically retaining the hardened
13 or cured metal restoration material. In general, dental preparations suitable for receiving
14 amalgam or other metal restoratives advantageously widen toward the interior of the tooth.
15 In this way, the hardened or cured metal restorative is mechanically held in place by
16 overhanging or converging dental tissues. Because there is no significant bond between the
17 amalgam and the tooth, microleakage at the margins can occur.

18 Even though amalgams and other metal restoration materials are typically stronger
19 and more durable than polymeric restoration materials, the use of amalgam and other metals
20 generally results in a weaker, less durable restored tooth compared to a tooth restored using
21 a composite restorative. Increased tooth weakness results from the necessity of removing
22 substantially more of the tooth than simply the decayed portion and from the inability of the
23 amalgam or other metal to strongly bond to the tooth. Preparing the tooth to receive the
24 amalgam or other metal restorative results in a prepared tooth that is at once smaller in size
25 and which contains a much larger weakening discontinuity or void therethrough compared
26 to a tooth prepared to receive a polymeric restorative. In addition, the lack of any significant

SEELEY

WORKMAN, NYDEGGER & SEELEY

A PROFESSIONAL CORPORATION

ATTORNEYS AT LAW

1000 EAGLE GATE TOWER

60 EAST SOUTH TEMPLE

SALT LAKE CITY, UTAH 84111

1 bond between the remaining dental tissue and the amalgam or other metal restorative results
2 in much lower total composite strength of the finished tooth compared to a restored tooth in
3 which the restorative and tooth form a strong composite bond.

4 In view of the advantages of composite restorative materials and techniques
5 described herein, the use of composites is rapidly increasing, at least in the United States, while
6 the use of amalgams or other metal restoratives is generally declining. Nevertheless, there
7 is still significant demand for amalgam restoratives. Many dentists have used amalgam
8 restoratives for decades and are very skilled in the techniques used to prepare teeth to receive
9 such restoratives. Dentistry, like other professions, is a skilled profession in which
10 practitioners often opt to continue using procedures that they are comfortable with.
11 Similarly, many patients who have had amalgam fillings all their lives are conservative and
12 resistant to change simply because composites are new and possibly "high tech". As the
13 common adage goes, "if it ain't broke, don't fix it."

14 Moreover, amalgam restoratives have certain advantages over composite
15 restoratives, not the least of which is cost. Another is ease of use. Amalgam restoratives
16 typically comprise a mixture of relatively inexpensive metals (e.g., mercury, silver, copper
17 and tin) that, when mixed together, are initially pliable and packable but which quickly cure
18 or harden into a durable tooth filling as the metals react and become compounded. Examples
19 of commonly-used amalgam restorative materials include TYTIN, which is manufactured
20 and sold by Kerr Corporation, located in Orange, California, and VALIANT PH.D., which
21 is distributed in the United States by Vivadent/Ivoclar North America, located in Amherst,
22 New York. In contrast, composite restoratives typically include polymerizable resins, fillers,
23 adhesives, and curing agents which, in the aggregate, are many times more expensive than
24 amalgam restoratives. Whereas the cost differential may not matter to the wealthy or vain
25 who will pay anything for stronger and/or more cosmetically appealing teeth, it does matter
26 to many, particularly individuals on limited budgets and in less affluent countries.

Another problem with composite restoratives is that they are subject to greater variability in quality and strength compared to amalgam restoratives. Their use also requires more technical skill. When polymers cure they tend to shrink, and polymerization shrinkage is a problem that is generally dealt with by technique rather than by formulation. Technique is a learned trait, and a dentist with poor technique can improperly bond the composite to the patient's tooth. A composite restorative that is not adequately bonded to the tooth, *i.e.*, that is partially detached, can provide ingress of bacteria into the dentine or pulp. Such restorations should be repaired by removing and replacing the improperly bonded composite material. Worse, improper placement of a shrinkable composite within a fragile tooth can cause it to crack or fracture, thus requiring major dental repair such as a crown.

In view of the foregoing, the choice between whether to use composite restoratives, on the one hand, or amalgam restoratives, on the other, to repair a decayed or damaged tooth comes down to weighing the respective advantages and disadvantages of each and then determining which are most important to the dental practitioner and/or the patient. When properly placed, the use of composite restoratives generally result in a much better composite bond with the tooth and a more cosmetically pleasing look. On the other hand, amalgam restoratives provide greater simplicity of use and much lower cost. For this reason, restorations involving a child's "baby" (or milk) teeth are performed using amalgam, since such restorations are, by definition, only temporary. Nevertheless, as stated above, amalgam restoratives are unable to form strong bonds with dental substrates such that the dental preparation must be large enough and properly shaped in order to provide for mechanical retention of the hardened amalgam.

Some attempts have been made to bond amalgam to dentin and other dental tissues, but with little success at yielding a commercially viable or professionally acceptable solution. Hence, the vast majority of dental restorations involving the use of amalgam restoratives are performed without the use of an adhesive bonding agent.

WORKMAN, NYDEGGER & SEELEY
A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TENPLE
SALT LAKE CITY, UTAH 84111

1 In view of the foregoing, it would be an advancement in the art of dental restorations
2 to provide adhesive compositions and methods that provided for strong and reliable bonding
3 between amalgam restorative materials and dental substrates. It would be a further
4 advancement if such adhesive compositions and methods were able to seal the underlying
5 dental substrate, as well as provide an improved seal between the amalgam restorative and
6 the dental substrate.

7 Such compositions and methods for adhering an amalgam-based restorative material
8 to a dental substrate are disclosed and claimed herein.
9

SUMMARY OF THE INVENTION

1 The present invention encompasses greatly improved bonding compositions and
2 methods for restoring a patient's tooth using an amalgam restorative material. More
3 particularly, the compositions and methods according to the invention allow the dental
4 practitioner to form a much stronger bond between a dental substrate and an amalgam
5 restorative material. This, in turn, yields a stronger and more durable tooth restoration
6 compared to conventional amalgam-based restorations due to greatly increased composite
7 strength. In some cases, the dental practitioner may be able to remove less dental material
8 from the decayed or damaged tooth that would be otherwise be required if mechanical
9 retention were the only force holding the tooth and the amalgam restoration together.
10 Keeping more of the original tooth intact will generally preserve more of its strength and
11 reduce the risk of subsequent breakage or cracking of the restored tooth. Such compositions
12 and methods also advantageously seal the underlying dental substrate, including the dentin
13 tubules, and result in a substantially better seal between the substrate and amalgam, either
14 of which would be expected to reduce tooth sensitivity and the propensity of the tooth to
15 become decayed in the future. Such bonding greatly reduces or eliminates microleakage at
16 the margins.

17 The amalgam bonding compositions according to the invention are formulated so
18 as cure or harden in steps. In particular, they are formulated to only partially cure within the
19 dental preparation prior to packing the amalgam into the dental preparation. The partially
20 cured bonding composition remains pliable and deformable, particularly at the surface, for
21 reasons that will be discussed more fully below. This permits the upper layer of the bonding
22 composition to become physically disrupted when packing the amalgam within the dental
23 preparation, which substantially increases the mechanical interaction and interface area
24 between the bonding composition and the amalgam. After the amalgam restorative material
25 and bonding composition have both been cured, this physical disruption of the upper layer
26

WORKMAN, NYDEGGER & SEELEY
A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111

1 of the bonding composition and resulting increased mechanical interaction and interface area
2 between the two results in greatly increased bond strength and adhesion between the bonding
3 composition, amalgam restorative, and the dental substrate.

4 The bonding compositions according to the invention preferably include at least one
5 polymerizable material, a first polymerization initiator that allows the dental practitioner to
6 partially polymerize or cure the polymerizable material within the dental preparation prior
7 to packing the uncured amalgam restoration material therewithin, and a second
8 polymerization initiator that causes the polymerizable material to continue to polymerize or
9 cure beneath the packed amalgam restoration material. These work together to form a strong
10 bond between the amalgam, bonding agent, and dental substrate. The inventive bonding
11 compositions may include fillers, active agents, adjuvants and other additives as desired in
12 addition to the components specifically identified herein. They may be one-part or multi-part
13 bonding systems.

14 The polymerizable material may include one or more polymerizable promoters, such
15 as methacrylic acid or derivatives thereof. In addition to, or instead of the polymerizable
16 promoter, the polymerizable material may include one or more polymerizable resins, such
17 as 2-hydroxyethyl methacrylate (HEMA) or bis glycerol methacrylate phosphate. One of
18 ordinary skill will readily understood, when reading the present disclosure, that any
19 appropriate polymerizable material may be used so long as the resulting bonding composition
20 has desired properties and provides desired bonding characteristics between the dental
21 substrate and amalgam restorative.

22 The first polymerization initiator preferably comprises at least one photoinitiator,
23 examples of which include phosphine oxide, phenyl bis(2,4,6-trimethyl benzoyl); 2-hydroxy-
24 2-methyl-1-phenyl-1-propanone; and camphoroquinone. The identity and concentration of
25 the first polymerization initiator are selected so that the polymerizable material within the
26 bonding composition is only partially polymerized upon placing the bonding composition

1 within a dental preparation and irradiating the composition with radiant energy. Because the
2 aforementioned photoinitiators are consumed during polymerization, *i.e.*, they are reactants
3 rather than catalysts, their concentration can be selected so as to result in a desired degree of
4 partial polymerization. Thus, if an amount X of the photoinitiator is required to fully
5 polymerize an amount Y of the polymerizable material, including a quantity of the
6 photoinitiator that is less than X would be expected to result in only partial polymerization
7 or curing of the polymerizable material. One of ordinary skill in the art will, through routine
8 testing, be able select an appropriate quantity of photoinitiator that will result in a desired
9 level of partial polymerization of a given quantity of polymerizable material. In this way,
10 the level or degree of partial polymerization can be controlled.

11 The second polymerization initiator preferably comprises at least one chemical
12 initiator that is able to cause the polymerizable material to continue to polymerize or cure
13 after placement of the amalgam restorative within the dental preparation. Because amalgam
14 restoratives are opaque, they generally do not permit further polymerization of the underlying
15 bonding composition by photoinitiation, *i.e.*, they substantially or entirely shield the bonding
16 composition from all light that may be emitted by a dental curing light. For this reason, the
17 second polymerization initiator will typically be a chemical initiator that causes
18 polymerization of the polymerizable material in the absence of radiant energy. An example
19 of an appropriate chemical initiator is benzoyl peroxide. The second polymerization initiator
20 not only causes the polymerizable material to more completely or entirely polymerize, it also
21 allows the dental practitioner to time the curing or hardening of the bonding agent so that it
22 remains pliable while packing the amalgam into the dental preparation and then cures into
23 a hardened and less-pliable material after the amalgam has been packed.

24 One of ordinary skill will readily appreciate that timing of the extent of final cure
25 of the bonding agent may be carried in any desired manner. In a preferred embodiment, the
26 amalgam itself can be used to trigger the final curing or polymerization of the polymerizable

1 material within the bonding agent. Benzoyl peroxide is relatively stable in the presence of
2 many polymerizable materials and photoinitiators, even after partially polymerizing the
3 polymerizable material by irradiation with radiant energy from a dental curing light. This
4 allows the chemical curing process to be controlled or prevented prior to packing the
5 amalgam. In some cases, the benzoyl peroxide is sufficiently stable such that the bonding
6 composition can be premixed as a stable, one-part composition. Keeping the one-part
7 composition from overheating helps to prevent it from prematurely polymerizing. However,
8 when the bonding composition comes into contact with the amalgam restorative, particularly
9 when the upper layer of the partially cured composition is disrupted and agitated during
10 packing of the amalgam restorative into the dental preparation, the interaction of metal
11 within the amalgam and the benzoyl peroxide causes the benzoyl peroxide to decompose.
12 This, in turn, causes the polymerizable material to further polymerize so as to cause the
13 bonding agent to harden or cure. Such interaction may involve a catalytic reaction, heat or
14 both.

15 Without being limited to any particular theory, it is believed that exposure of the
16 bonding agent to air inhibits polymerization of the polymerizable material. As a result, after
17 the bonding agent has been applied to a dental substrate and then exposed to radiant energy
18 (e.g., from a dental curing light) to induce partial polymerization of the polymerizable
19 material, the region of the bonding agent that is shielded from the air is preferentially cured
20 or hardened compared to the region that is exposed to the air. Thus, when partially curing
21 the bonding agent with the curing light, the underlying region or layer of the bonding agent
22 adjacent to the dental substrate is preferentially cured or hardened, while the upper region
23 or layer of the bonding agent at the exposed surface forms an "inhibition layer" (or "inhibited
24 layer") of less cured or hardened bonding agent. This differential in curing provides the
25 benefit of allowing the upper surface layer to remain pliable and easily deformable so that,
26 when the amalgam restorative is packed into the dental preparation, the upper portion of the

1 bonding agent can beneficially become disrupted and agitated so as to increase the interface
2 area and mechanical interaction between the bonding agent and amalgam. On the other hand,
3 the more fully cured or hardened bonding agent adjacent to the dental substrate strengthens
4 the bond between the bonding agent and the dental substrate. This helps to prevent
5 separation of the bonding agent from the dental substrate while packing the amalgam into
6 the dental preparation.

7 After the amalgam has been packed into the dental preparation and placed over the
8 bonding agent, the chemical initiator causes the polymerizable material within the bonding
9 agent to continue curing and hardening, including the initially less cured inhibition layer. In
10 the case of benzoyl peroxide, it is believed that this additional polymerization is triggered by
11 some interaction between the benzoyl peroxide and the amalgam that causes the benzoyl
12 peroxide to decompose and catalyze further polymerization. Shielding of the bonding agent
13 from air by the packed amalgam restorative facilitates curing as the air that formerly inhibited
14 polymerization is displaced from within the filled tooth by the amalgam.

15 In a preferred method of restoring a tooth, the decayed or damaged portion of the
16 tooth is removed, together with additional dental tissue as necessary to form an appropriate
17 dental preparation or hollow. In many cases, it will be possible for the dental preparation to
18 be significantly smaller than conventional dental preparations used in conventional amalgam
19 restoration procedures, *e.g.*, formed without overhanging dental tissue designed to
20 mechanically retain the amalgam within the dental preparation, as is generally required using
21 convention amalgam restoration methods. The dental preparation is preferably conditioned
22 with an aqueous acid solution, such as a 35% phosphoric solution, in order to etch the enamel
23 and/or remove the smear layer that typically forms when removing dentin by drilling or
24 abrading. Thereafter, the dental preparation is preferably washed with water to remove the
25 acid and any dissolved minerals and loose, detached dentinal materials. After conditioning
26 and washing, the tooth surface may be dried with pressurized air and/or suction.

1 The conditioned, washed and dried dental preparation is then preferably coated with
2 an amalgam bonding composition according to the invention. In particular, the bottom, sides
3 and any other surface of the dental preparation that will contact the amalgam restorative is
4 coated with the bonding composition. The bonding composition is then partially cured or
5 polymerized. This is preferably accomplished by light curing a composition that has been
6 formulated to include enough photoinitiator to only partially cure the composition to a
7 desired extent, *e.g.*, so as to cause the layer of bonding composition adjacent to the dental
8 substrate to preferentially cure sufficiently so as to form a bond between the dental substrate
9 and the bonding composition, while leaving the exposed upper layer less cured and more
10 pliable. This is the so-called "inhibition" or "inhibited" layer. In alternative embodiments,
11 the degree of polymerization may be controlled in other ways, such as by irradiating the
12 bonding composition for less time than is necessary for it to more completely cure, or by
13 including a slow acting chemical initiator (*e.g.*, in a two-part system).

14 After the bonding agent has been partially cured so as to form a bond with the dental
15 substrate, while remaining pliable or deformable in the region of the exposed surface, an
16 appropriate uncured amalgam restorative material is packed (or "condensed") into the dental
17 preparation. The amalgam is packed into the dental preparation using conventional packing
18 tools known in the art. As the packing tool pushes the amalgam into the dental preparation,
19 typically with short, but firm, downward thrusts toward and through the amalgam, the
20 deformable upper region of the bonding composition is deformed and disrupted, thereby
21 causing troughs, peaks, and other significant irregularities to form in the surface of the
22 bonding composition. Fingers of the deformable bonding agent can extend into the uncured
23 amalgam so as to form roots therein. The pliable, uncured amalgam restoration material
24 displaces the air and assumes a conformation that is complementary to the irregularities in
25 the disrupted bonding composition. This greatly increases the mechanical interaction
26 between the bonding layer and the amalgam. On the other hand, the region of the bonding

1 agent adjacent to the dental substrate is preferably sufficiently cured so as to resist
2 deformation and detachment from the dental substrate.

3 Once the amalgam has been packed and shaped, it is allowed to cure. Conventional
4 amalgams cure over time after initially mixing the initially separate metals together. Over
5 time, the metals react and become bonded, which causes the amalgam restoration material
6 to become hardened. At the same time, the amalgam also preferably causes one or more
7 chemical initiators to begin the final polymerization of the polymerizable material in order
8 to finally cure or harden the bonding agent. Whereas the two curing reactions may coincide
9 to some extent, they may differ in duration. In alternative embodiments, one or more
10 chemical curing agents can be selected, stored separately, and then mixed with the other
11 components of the bonding composition in order to trigger the second curing step
12 independently from contacting the amalgam with the bonding agent.

13 The various embodiments of the bonding compositions and methods according to
14 the invention provide a number of advantages over the prior art. For example, the increase
15 in bond strength between the dental substrate and amalgam restorative provides for greater
16 composite action between the tooth and the amalgam. Reliable bond strengths between
17 about 25-37 MPa have been achieved when using the most preferred compositions and
18 methods described herein. This should, in and of itself, yield a stronger restored tooth.
19 Moreover, greatly increasing the bond strength between the amalgam restorative and the
20 dental substrate should, at least in theory, reduce or eliminate the need for mechanical
21 retention of the amalgam restorative within the dental restoration. This would potentially
22 allow the dental practitioner to remove significantly less tooth material when forming a
23 dental preparation for filling with an amalgam restorative. Improving the bond between
24 amalgam restorative materials and dental substrates would also be expected to improve the
25 seal between the amalgam restorative and the tooth, thereby greatly reducing the chance that
26 bacteria could enter and fester within gaps or fissures between the amalgam and the tooth.

- 1
- 2
- 3
- 4

A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UT 84111

BRIEF DESCRIPTION OF THE DRAWINGS

1 In order that the manner in which the above-recited and other advantages and objects
2 of the invention are obtained, a more particular description of the invention briefly described
3 above will be rendered by reference to a specific embodiment thereof which is illustrated in
4 the appended drawings. Understanding that these drawings depict only a typical embodiment
5 of the invention and are not therefore to be considered to be limiting of its scope, the
6 invention will be described and explained with additional specificity and detail through the
7 use of the accompanying drawings in which:

8
9 Figure 1 is a side cross-section view of a tooth that include a dental preparation
10 formed therein for receipt of a restorative;

11 Figure 2 is a side cross-section view of the tooth of Figure 1 in which the dental
12 preparation has been coated with a dental bonding composition;

13 Figure 3 is a side cross-section view of the tooth of Figure 2 in which the dental
14 bonding composition within the dental preparation is being irradiated with radiant energy in
15 order to partially cure the bonding composition;

16 Figure 4 is a side cross-section view of the tooth of Figure 3 in which the partially
17 cured dental bonding composition is more fully cured in the inner region or layer adjacent
18 the surface of the dental preparation and less cured in the exposed outer region or layer;

19 Figure 5 is a side cross-section view of the tooth of Figure 4 in which an uncured
20 amalgam restorative material has been positioned partially within the dental preparation prior
21 to packing against the outer layer of the bonding composition;

22 Figure 6 is a side cross-section view of the tooth of Figure 5 after the uncured
23 amalgam restorative material has been fully packed into the dental preparation using an
24 appropriate amalgam packing tool;

25 Figure 7 is a side cross-section view of the tooth of Figure 6 after the amalgam and
26 dental bond composition have cured.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

I. INTRODUCTION AND DEFINITIONS.

The present invention encompasses compositions and methods for use in restoring a patient's tooth using an amalgam or other metal restorative. More particularly, the compositions and methods result in the formation of an actual bond between a dental substrate and the metal restorative. Such bonds yield stronger, more durable tooth restorations because of greatly increased composite strength between the amalgam and tooth and because more of the tooth can be left intact during formation of the dental preparation in many cases. In addition, the dental bonding compositions are also useful in sealing the dental substrate, particularly the dentin tubules, which protects the tooth from further infection and decay. They also prevent or inhibit microleakage at the margins between the tooth and amalgam.

The amalgam bonding compositions according to the invention are formulated to only partially cure within the dental preparation prior to packing the amalgam into the dental preparation so as to remain pliable and deformable at the surface. When packing the amalgam within the dental preparation, the deformable bonding composition becomes disrupted to include troughs, peaks, fingers that extend into the amalgam, and other irregularities that substantially increase the mechanical interaction and the strength of the resulting bond between the bonding composition and the amalgam.

Preferred dental bonding compositions according to the invention include at least one polymerizable material, a first polymerization initiator that causes the polymerizable material to only partially cure or harden prior to packing (or condensing) the uncured amalgam restoration material into the dental preparation, and a second polymerization initiator that causes the polymerizable material to continue to cure beneath the packed amalgam restoration material. The inventive bonding compositions may include fillers,

1 adjuvants, active agents, or other additives as desired in addition to the components
2 specifically identified herein.

3 The term "dental substrate", as used in the specification and the appended claims,
4 broadly refers to a tooth, any portion thereof, or a prosthetic related to the tooth. Examples
5 of "dental substrates" include, but are not limited to, tooth enamel, dentin, other structures
6 of a tooth, metal crowns or fillings, porcelain crowns or overlays, composite fillings or
7 crowns, other dental prosthetics, and other structures and materials related to the repair and
8 reconditioning of teeth.

9 The term "dental preparation", as used in the specification and the appended claims,
10 broadly refers to any void, depression, hollow, indentation, crevice, crack, or any other
11 irregularity that can be filled with a restorative material. Examples include, but are not
12 limited to, void spaces that are formed by removing dental tissue using, *e.g.*, a dental cutting,
13 grinding, or abrading tool. It may also include extreme, but natural irregularities.

14 The term "restorative", as used in the specification and the appended claims, broadly
15 refers to any filling or restoration material used to fill a "dental preparation". Examples
16 include, but are not limited to, composite resins (*e.g.*, packables, pastes and flowables),
17 amalgam metals, other metals, and porcelain.

18 The term "partially cured", as used in the specification and the appended claims,
19 refers to a condition or state of a dental bonding composition in which one or more
20 polymerizable materials contained therein have become partially polymerized. That is, they
21 are still capable of further polymerization to yield a harder, less pliable material (*i.e.*, they
22 remain at least partially "unpolymerized").

23 The term "cured", as used in the specification and the appended claims, refers to a
24 dental bonding composition that has been sufficiently polymerized so as to be sufficiently
25 hardened and non-pliable so that it can form a reasonably strong bond between an amalgam
26 or other restorative and a dental substrate. Thus, though a completely polymerized bonding

1 composition represents an example of a "cured" material, a bonding composition that is
2 substantially polymerized so as to yield sufficient bond strength, even if it is capable of some
3 further polymerization, may still be considered to be "cured".

4 The terms "harden" and "hardened", as used in the specification and the appended
5 claims, refers to a level of polymerization or curing of a dental bonding composition or
6 amalgam restorative such that they are not readily deformable and so that the bond between
7 the "hardened" bonding composition and the "hardened" amalgam restorative has achieved
8 a substantial portion (*i.e.* greater than a majority of) its final bond strength.

9 The term "uncured", as used in the specification and the appended claims, refers to
10 a condition in which a dental bonding composition is readily flowable onto a dental substrate
11 and a condition in which an amalgam restorative is readily packable within a dental
12 preparation, regardless of whether some incidental partial curing of the bonding composition
13 or amalgam has taken place.

14 The term "oligomer", as used in the specification and the appended claims, shall
15 include dimers, trimers, tetramers, and other prepolymers derived from one or more
16 monomers.

17 18 **II. PREFERRED DENTAL BONDING COMPOSITIONS.**

19 The preferred dental bonding compositions according to the present invention
20 comprises at least one polymerizable material and at least one polymerization initiator. More
21 preferred compositions included two different types of polymerization initiators in order to
22 more easily facilitate the step-wise or progressive curing of the bonding agent. Such bonding
23 compositions may also include one or more solvents, fillers, natural resins, fluoride-releasing
24 agents, and other adjuvants and additives as desired. They may be one-part or multi-part
25 systems.
26

1 A. Polymerizable Materials.


2 Any polymerizable material that is capable of curing and adhering to a dental
3 substrate may be used within the dental bonding compositions according to the invention.
4 The bonding compositions preferably include one or more polymerizable materials chosen
5 from one or both of two classes of polymerizable materials designated as "polymerizable
6 promoters" and "polymerizable resins".

7
8 1. *Polymerizable Promoters*

9 The term "polymerizable promoter", as used in the specification and the appended
10 claims, refers to a class of polymerizable monomers, oligomers or other prepolymers that
11 include at least one ethylenically unsaturated group and at least one carboxylic acid group.
12 As a result of including a carboxylic acid group, polymerization promoters are hydrophilic,
13 which makes them very compatible with highly mineralized and polar dental tissues. The
14 polymerizable promoter is capable of being polymerized *in situ* by means of the one or more
15 polymerization initiators. In the preferred methods according to the invention, this will occur
16 after the bonding composition has been placed within the dental preparation.

17 The polymerizable promoter may be included in the dental bonding composition in
18 a broad range from about 0.05% to about 99.95% by weight of the bonding composition.
19 The polymerizable promoter is preferably included in a range from about 0.5% to about 60%
20 by weight of the bonding composition, more preferably in a range from about 0.75% to about
21 50% by weight, and most preferably in a range from about 1% to about 40% by weight of the
22 bonding composition.


23 In general, preferred polymerizable promoters within the scope of the present
24 invention have the following formula:
25



wherein R is a hydrogen radical, a methyl group, a saturated aliphatic radical, an unsaturated aliphatic radical, a halogen radical or a CN radical.

Examples of polymerizable promoters having the aforementioned chemical formula include, but are not limited to, methacrylic acid, acrylic acid (also known as 2-methyl-2-propanoic acid and 2-propanoic acid, respectively), mixtures of the foregoing and derivatives of the foregoing. Such compounds are highly polar and generally able to form strong adhesive bonds with dental substrates, particularly dentin and enamel.


Polymerizable promoters within the scope of the present invention can also have the following formula:



wherein R is a hydrogen radical, a methyl group, a saturated aliphatic radical, an unsaturated aliphatic radical, a halogen radical or a CN radical; and wherein R₁ is at least one oxygen radical, a saturated aliphatic radical, a saturated aliphatic radical interrupted by at least one oxygen or other polar radical, an unsaturated aliphatic radical, an unsaturated aliphatic radical interrupted by at least one oxygen or other polar radical, a homocyclic radical, a heterocyclic radical, a polymerizable moiety, or an aryl radical having four to six carbon atoms and a valency of n+1, with n being an integer of at least 6.

Examples of the aforementioned polymerizable promoters include, but are not limited to, 4-pentenoic acid, 6-heptenoic acid, 2,2-dimethyl-4-pentenoic acid, mixtures of

1 the foregoing, and derivatives of the foregoing. Of course, where R_1 is a chemical bond, the
2 polymerization promoter has the general formula:




2. *Polymerizable Resins*

3
4
5
6
7
8
9 The term "polymerizable resin", as used in the specification and the appended
10 claims, refers to a either a hydrophilic polymerizable compound with at least one hydroxyl
11 group, a hydrophobic polymerizable alkyl, or a polymerizable compound having at least one
12 hydrophobic moiety and at least one hydrophilic moiety. Polymerizable resins within the
13 scope of the present invention, include but are not limited to, hydroxyalkyl methacrylates,
14 hydroxyalkyl acrylates, alkyl methacrylates, alkyl acrylates, mixtures of the foregoing,
15 derivatives of the foregoing and the like. More specific examples of polymerizable resins
16 within the scope of the invention include, but are not limited to, 2-hydroxyethyl methacrylate
17 (HEMA), bis glycerol methacrylate phosphate, bisphenol-A-glycidyl methacrylate (Bis-
18 GMA), glycerol dimethacrylate, methyl acrylate, methyl methacrylate, triethylene glycol
19 dimethacrylate, mixtures of the foregoing, derivatives of the foregoing, and the like.
20 Hydrophilic resins such as HEMA are particularly useful because the dentin contains
21 significant mineral content and moisture, which results in better adhesion between the dentin
22 and the bonding composition.

23 Polymerizable resins within the scope of the present invention may also include at
24 least one amino group, at least one phosphate group, at least one phosphoric acid group or
25 derivative, or at least one phosphorus acid group or derivative.

26 A preferred alkyl methacrylate substituted with a phosphoric acid derivative is bis
27 glycerol methacrylate phosphate. Examples of other preferred alkyl methacrylates

substituted with phosphoric acid or a phosphoric acid derivative include: bis 2-hydroxy ethyl methacrylate phosphate, phosphate ester of p-hydroxyphenyl methacrylamide, phosphate ester of 3-hydroxy propyl methacrylate, and phosphate ester of 4-hydroxy butyl methacrylate. In general, it is within the scope of the invention to utilize polymerizable resins that include one or more of the following phosphoric acid or phosphorous acid radicals or derivatives:



wherein R is an alkyl.

The polymerizable resins may be included in the dental bonding compositions in a broad range from about 0.05% to about 95% by weight of the bonding composition. The polymerizable resin is preferably included in an amount in a range from about 0.5% to about 60% by weight of the bonding composition, more preferably in a range from about 0.75% to about 50% by weight, and most preferably in a range from about 1% to about 40% by weight of the bonding composition.

Even though hydrophobic polymerizable resins such as Bis-GMA may be included within the compositions according to the invention, it is preferable to include less of such resins than the amount of hydrophilic polymerizable resin, or combined hydrophilic resin and polymerizable promotor in the case where both are included.

On the one hand, Bis-GMA is a useful resin because it contains hydrophilic end groups in addition to the main hydrophobic groups or moieties contained therein. Bis-GMA also hardens into a very durable material when cured. On the other hand, it has been found that including too much Bis-GMA yields a bonding composition having reduced bonding strength when used to adhere or bond amalgam to a dental substrate. Without being bound

1 by any particular theory, it has been posited that the highest bond strengths are obtained when
2 the final cured bonding composition remains somewhat flexible, resilient and less brittle.
3 Accordingly, when it is desired to include Bis-GMA to increase the hardness and durability
4 of the bonding compositions within the scope of the invention, and even though bonding
5 compositions according to the invention may include any desired quantity of Bis-GMA, Bis-
6 GMA is preferably included in an amount of less than about 4% by weight of the bonding
7 composition, more preferably less than about 3% by weight, and most preferably less than
8 about 2% by weight of the bonding composition.

9 This is a surprising and unexpected result because one of ordinary skill in the art
10 would expect the largely mechanical bond between the bonding composition and the
11 amalgam restorative to increase with increased hardness on the part of the bonding
12 composition when cured. Instead, bond strengths were found to actually increase as the
13 concentration of Bis-GMA was reduced, or eliminated altogether, compared to a formulation
14 that included 5% Bis-GMA.

15
16 **B. Initiators.**

17 It is within the scope of the invention to use one or more initiators selected from the
18 group consisting of photoinitiators and chemical initiators.

19
20 **1. Photoinitiators.**

21 The term "photoinitiator", as used in the specification and appended claims, refers
22 to any compound or blend of compounds that cause a polymerizable materials to at least
23 partially polymerize through irradiation of the initiator with radiant (*e.g.*, light) energy.
24 Exemplary photoinitiators include, but are not limited to, α -diketones; camphoroquinone;
25 phenyl bis (2,4,6-trimethyl benzoyl) phosphine oxide; 2-hydroxy-2-methyl-1-phenyl-1-
26 propanone; benzoin methyl ether; benzophenone; and 9,10-anthraquinone. The

Year	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100
1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	

WORKMAN, NYDEGGER & SEELEY
A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UT 84111

The extent of partial polymerization of the bonding composition is further inhibited when exposed to air, since oxygen generally inhibits polymerization. Thus, when a layer of

- Page 24 -

Docket No. 7678.614

1 the dental bonding composition is applied to a dental preparation and then partially
2 polymerized, the sublayer or portion of the bonding composition next to the dental substrate
3 is polymerized to a greater extent than the outer sublayer or portion that is exposed to air,
4 which forms an "inhibition" or "inhibited" layer. In some cases, rather than distinct layers,
5 there may be a gradient of increasing polymerization from the exposed surface of the bonding
6 composition to the inner surface adjacent to the dental substrate. This differential in the
7 extent of partial polymerization is advantageous because it allows the surface layer to remain
8 sufficiently pliable and deformable such that troughs, peaks and other irregularities can be
9 readily formed therein upon packing an uncured amalgam restorative within the dental
10 preparation. Moreover, the more fully-cured layer or portion of the bonding composition
11 adjacent to the dental preparation surface helps to prevent inadvertent dislodging or
12 separation of the bonding composition from the dental substrate.

13 It will be readily appreciated that the desired under-polymerization of the dental
14 bonding composition used to bond an amalgam to a dental substrate can be controlled in
15 other ways. Accordingly, in preferred methods according to the invention, it may be possible
16 to under-polymerize a bonding composition by restricting the amount of radiant energy that
17 is applied to the bonding composition (*i.e.*, by restricting the intensity and/or duration of the
18 radiant energy). Thus, whereas preferred dental bonding compositions according to the
19 invention include a stoichiometrically insufficient amount of photoinitiator to effect under-
20 polymerization of the composition even when exposed to an excess of radiant energy,
21 preferred methods according to the invention may be carried out using both the preferred
22 compositions described herein as well as compositions that include a stoichiometrically
23 sufficient amount of photoinitiator that are under-polymerized using a deficiency of radiant
24 energy.

25 The amount of polymerization photoinitiator to be included within the preferred
26 dental bonding composition according to the invention is generally dependent on the identity

1 and concentration of the polymerizable portion, as well as the level of partially
2 polymerization that is desired. In order to restrict the extent of polymerization, the
3 photoinitiator will preferably be included in an amount in range from about 0.001% to about
4 0.5% by weight of the dental bonding composition, more preferably in a range from about
5 0.005% to about 0.2%, and most preferably in a range from about 0.008% to about 0.08%
6 by weight of the dental bonding composition.

7 8 2. *Chemical Initiators.*

9 The term "chemical initiator", as used in the specification and appended claims,
10 refers to any compound or blend of compounds that cause a polymerizable material to at least
11 partially polymerize as a result of a chemical reaction between the chemical initiator (or a
12 decomposition product thereof) and the polymerizable material, without the use of radiant
13 energy. Examples of chemical initiators within the scope of the invention include a wide
14 variety of compounds that are sufficiently unstable that they can decompose into radicals
15 capable of catalyzing or otherwise causing the polymerization of the polymerizable material.

16 Specific examples of radical-forming substances include the large class of
17 compounds known as peroxides, more specifically including, but not limited to, benzoyl
18 peroxide, 2-butanone peroxide, lauroyl peroxide, and tert-butyl peroxide. Benzoyl peroxide
19 is preferred because it is soluble and relatively stable when mixed with the polymerizable
20 materials disclosed herein as long as the composition is substantially free of errant metals or
21 metal ions that trigger the decomposition of benzoyl peroxide. In addition, benzoyl peroxide
22 remains relatively stable when kept at or below room temperature. In the case where the
23 dental bonding compositions according to the invention are formulated as stable, one-part
24 compositions, such compositions are advantageously maintained below the decomposition
25 temperature of benzoyl peroxide in order to prevent premature polymerization and curing of
26 the polymerizable material.

1 The amount of benzoyl peroxide or other chemical initiator that should be included
2 with the dental bonding compositions according to the invention is somewhat dependent on
3 the concentration of the polymerizable material. Nevertheless, because the interaction
4 between benzoyl peroxide (particularly its decomposition products) and the polymerizable
5 material is believed to be more catalytic in nature, including more or less benzoyl peroxide
6 is believed to have a greater effect on the rate, rather than the extent, of final curing or
7 polymerization of the bonding composition. The fact that benzoyl peroxide and other
8 peroxides tend to be unstable in the presence of metals or metal ions makes them well-suited
9 for use with amalgam or other metal restoratives.

10 Benzoyl peroxide remains sufficiently stable even after the bonding composition has
11 been partially cured, *e.g.*, by means of light-curing prior to packing the amalgam or other
12 metal restorative within the dental preparation. Thereafter, the interaction between the
13 amalgam or other metal restorative triggers the decomposition of the benzoyl peroxide or
14 other peroxide which, in turn, catalyzes further polymerization of the polymerizable material
15 within the dental bonding composition, including the inhibited layer. In this way, the final
16 curing stage of the dental bonding composition can be timed so as to occur **after** the
17 amalgam or other metal restorative has been packed into the dental preparation. In addition,
18 the act of packing of amalgam or other metal restorative into the dental preparation displaces
19 the oxygen therefrom, which further facilitates further curing of the inhibition layer by the
20 chemical initiator.

21 In the case of a multi-part bonding dental bonding composition, it may be possible
22 to include an amount of a chemical initiator that will cause the bonding composition, when
23 mixed, to slowly cure over a predetermined amount of time. In this way, a dental practitioner
24 can mix up a quantity of the multi-part (*e.g.*, two-part) composition just prior to application
25 to a dental preparation. After a set amount of time, when the bonding composition has been
26 partially polymerized or cured to a desired degree, the amalgam can be packed into the dental

1 preparation. As before, an upper inhibition layer should be significantly less cured than the
2 inner sublayer adjacent to the dental substrate, which allows the upper layer to more easily
3 form peaks, troughs and other irregularities when packing an uncured amalgam into a dental
4 preparation. After packing the amalgam into the dental preparation, the bonding
5 composition, including the inhibited layer, will continue to cure because of the chemical
6 initiator. Packing the amalgam within the dental preparation will also displace the oxygen
7 therefrom, thereby facilitating the further polymerization of the inhibition layer by the
8 chemical curing agent. It may also serve to further accelerate polymerization by catalyzing
9 accelerated decomposition of the chemical initiator.

10 Although tertiary amines such as dimethylamino ethylmethacrylate are relatively
11 stable when mixed with photoinitiators, they are generally unstable in the presence of
12 chemical initiators (e.g., benzoyl peroxide). Because of this, tertiary amines can be
13 advantageously mixed with a bonding composition that includes a chemical initiator in order
14 to activate or accelerate polymerization and curing of the bonding composition. In this way,
15 tertiary amines can augment the effect of the chemical initiator. Hence, when used with a
16 chemical initiator, tertiary amines form part of the chemical initiation system.

17 In general, benzoyl peroxide or other chemical initiators may be included in any
18 appropriate amount, preferably in a range from about 0.001% to about 5% by weight of the
19 dental bonding composition, more preferably in a range from about 0.01% to about 3% by
20 weight, and most preferably in a range from about 0.1% to about 2% by weight of the dental
21 bonding composition.

22 C. Natural Resins.

23 The bonding compositions may optionally include one or more natural resins. The
24 term "natural resin", as used in the specification and the appended claims, includes a variety
25 of substances that are found in natural sources such as trees, shrubs, plants or seeds. Natural
26

1 resins within the scope of the present invention may be either polymerizable or non-
2 polymerizable. If polymerizable, a natural resin may comprise a portion of the
3 "polymerizable material". While the natural resins disclosed herein are chemicals that are
4 found in, or can be obtained from, natural sources, the natural resins used with the present
5 invention are not necessarily unaltered from their natural condition. Accordingly, the term
6 "natural resins" shall also refer to derivatives of natural resins.

7 Suitable natural resins include, but are not limited to, rosins, distillates, saps, oils,
8 balsams, and gums. More specific examples of useful natural resins include, but are not
9 limited to, Canadian balsam, sandarac, mastic, pontianak, copal, manilla, peruvian, benzoin,
10 elemi, opopanax, olibanum, styrax, benzoin siam, tolu, resinoid, tall, pine, eugenol, and the
11 like.

12 Many natural resins comprise a mixture of chemicals. For example, Canadian
13 balsam typically comprises 27.5% volatiles, such as pinene, nopinene, and β -phellandrene,
14 44.5% resin acid including 13% abietic and 8% neoabietic, and 27% neutral resinous
15 compounds. The concentration of the constituents of a natural resin can be varied from their
16 relative concentrations as found in nature to yield a derivative that is still a "natural resin"
17 within the meaning of this term, as used herein. Additionally, one or more constituents of
18 a naturally occurring chemical composition such as a rosin, sap, oil, balsam or gum can be
19 isolated or purified to yield a derivative that is a "natural resin" within the meaning of this
20 term. Distillates of natural resins as found in natural sources such as trees, shrubs, plants or
21 seeds are one example of such derivatives. Derivatives formed by any technique, such as
22 isolation or purification methods, to alter the concentration of the constituents or to separate
23 a constituent from other constituents may be used. Additionally, synthetically prepared resin
24 compositions resembling or corresponding to those which occur naturally are within the
25 meaning of the term "natural resin", as used herein.

1 The term "natural resins" also includes chemical derivatives of naturally occurring
2 chemical compositions obtained from natural sources such as trees, shrubs, plants or seeds.
3 Examples of chemical derivatives include, but are not limited to, maleic modified tall oil,
4 phenolic modified rosin ester resin, maleic modified rosin ester resin, hydrogenated rosin,
5 hydrogenated Canadian balsam, Canadian balsam maleic esters, disproportionated tall oil
6 rosin, and dimerized Tall oil.

7 If included at all, natural resins are preferably included in a range from about 0.01%
8 to about 50% by weight of the dental bonding composition, more preferably in an amount
9 in a range from about 0.1% to about 35% by weight, and most preferably in a range from
10 about 0.5% to about 20% by weight of the dental bonding composition.

11 D. Solvents.

12 It may be desirable to include one or more solvents within dental bonding
13 compositions according to the invention. Solvents may be used to impart a desirable
14 viscosity to the dental bonding composition. Lowering the viscosity may increase the ability
15 of the bonding composition to flow into the dentinal tubules and the undercuts formed by
16 etching the dental substrate. It, thus, may improve the ability of the denting bonding
17 composition to make more intimate contact with, and impregnate into, the conditioned dentin
18 surface. In addition, volatile solvents can quickly evaporate when a layer of the bonding
19 composition is placed onto a dental substrate in order to provide additional adhesion due to
20 increased viscosity and tackiness.

21 Examples of useful solvents include, but are not limited to, hydrophilic
22 hydrocarbons, hydrophobic hydrocarbons, and water. Hydrophilic solvents are particularly
23 useful since normal dentin is naturally moist. Examples of suitable hydrophilic solvents
24 include ethanol and acetone.
25
26

DECEMBER

WORKMAN, NYDEGGER & SEELEY
A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111

1 E. Fillers.

2 Fillers may also be incorporated into the dental bonding composition according to
3 the invention in order to affect the viscosity of the uncured or partially cured composition
4 and/or in order to provide increased strength and hardness of the final cured bonding
5 composition. Fillers may be inert or they may reactive or release active agents.

6 Examples of particulate fillers used to primarily add strength and hardness are glass
7 particulates. Examples include silica glass and barium oxide glass, which may be added to
8 increase the hardness and durability of the final cured bonding composition. In addition, it
9 may impart desired rheological properties in the uncured and partially cured composition.
10 Because barium oxide glasses can release metals into the bonding compositions that can
11 affect the stability of the polymerizable materials and/or chemical initiators contained
12 therein, it may be desirable to treat barium oxide glass with a protective coating or shell in
13 order to inhibit or prevent unwanted reactions.

14 When it is desired to use barium oxide glass as a filler within a dental bonding
15 composition according to the invention, it may be advantageous to silanate the barium oxide
16 glass. Silanation is a common procedure used in the art of preparing particulate dental filler
17 materials for use in composite resins, and one of ordinary skill in the art will be readily able
18 to select an appropriate silanating agent that will yield a desired silanated barium oxide glass
19 particulate filler for a given application. Examples of silanating agents include, but are not
20 limited to, 3-methacryloyloxypropyltrimethyl silane, 3-methacryloxypropyltrimethyl silane,
21 2-ethoxytrimethoxy silane, trimethoxymethyl silane, and trimethoxyvinyl silane.

22 An example of a particulate filler that is able to release an active agent is calcium
23 fluorosilicate, also referred to as "fluorspar". Fluorspar is a relatively stable mineral
24 substance that, when finely ground and used as a particulate filler, is able to release small,
25 but significant, amounts of fluoride ion into surrounding dental tissues. Fluoride is a well-
26 known mineralizing agent used to strengthen teeth. Hence, the use of fluoride releasing

agents such as fluorspar within the dental bonding compositions of the invention can further strengthen and harden the dental tissue surrounding the dental preparation, as well as help to prevent decay.

F. Other Components.

Polymerization inhibitors are often added to polymerization promoters and polymerizable resins at the time of manufacture to inhibit or prevent premature polymerization. If so, the raw polymerizable materials used in manufacturing dental bonding composition according to the invention may include one or more polymerization inhibitors. An example of a polymerization inhibitor is hydroquinone. Of course, it is also within the scope of the invention to deliberately add a polymerization inhibitor to a dental bonding composition according to the invention in order to prevent premature polymerization and curing of the bonding composition.

The dental bonding composition may optionally include additives such as odorants. An example of an odorant is oil of bitter almond.

III. AMALGAM RESTORATIVES.

The dental bonding compositions according to the invention are particularly suitable for use with amalgam restorative materials, although the compositions may be adapted for use with other restoratives such as other metal restoratives, composites, and the like. Examples of commonly-used amalgam restorative materials include TYTIN, which is manufactured and sold by Kerr Corporation, located in Orange, California, and VALIANT, PH.D., which is distributed in the United States by Vivadent/Ivoclar North America, located in Amherst, New York. Amalgams typically include a solid, particulate alloy portion and a liquid mercury portion that, when mixed together (*i.e.*, "trituated"), form a pliable and packable material that cures over time into a hardened filling material.

TYTIN is presently the most commonly-used amalgam restorative in the United States and is available in both normal cure and fast cure embodiments. The alloy within normal curing TYTIN is "spherical" and reportedly includes 59.4% silver, 27.8% tin, and 13.0% copper. The mercury-to-alloy ratio is 42.5%. The alloy within fast curing TYTIN, called TYTIN FC, is reportedly a "modified spherical", high-copper alloy that consists of 61% silver, 26% tin, and 13% copper. The mercury-to-alloy ratio is approximately 43%. The initials "FC" stand for "firm condensation". TYTIN FC is available in two versions: an amalgam that has a carving time of 8-10 minutes and an amalgam that has a carving time of 6-7 minutes.

VALIANT, PH.D. is a palladium-enriched amalgam in which the alloy includes 52.5% silver, 29.7% tin, 17.5% copper, and 0.3% palladium. The alloy portion of the amalgam contains 60% "spherical" particles that comprise 49.5% silver, 30.0% tin, 20.0% copper and 0.5% palladium, and 40% "lathe-cut" particles that comprise 57.0% silver, 29.2% tin and 13.8% copper. The mercury-to-alloy ratio is 42.7%.

TYTIN regular cure amalgam has a compressive strength of 220 MPa after one hour, a compressive strength of 486 MPa after one day, a final tensile strength of 63 MPa, a final creep of 0.07%, and a setting dimensional change ($\mu\text{n}/\text{cm}$) of -7. VALIANT, PH.D. has a compressive strength after one hour of 210 MPa, a compressive strength after one day of 477 MPa, a tensile strength of 23 MPa measured after one day, a creep of 0.12% measured after 24 hours, and a setting dimensional change of -6.

Presently, TYTIN amalgams comprises a significant majority of the amalgam market share. On the other hand, bond strengths obtained using the inventive compositions and methods disclosed herein have been found to be consistently higher when using VALIANT, PH.D. amalgam rather than TYTIN amalgam.

In general, amalgam restoratives include a solid alloy that is blended with liquid mercury to form an uncured packable material that hardens over time into a very hard and

1 durable restorative material. Amalgam restoratives have been used for more than 150 years,
2 and there have been no known adverse affects resulting from patients being exposed to
3 mercury from their amalgam fillings.

4 The purpose of the silver is to increase strength, expansion and reactivity, and to
5 decrease creep. Tin is added primarily to react with the mercury, but has the adverse affect
6 of increasing corrosion and decreasing strength and hardness. Copper is added to increase
7 strength, expansion, and hardness and to decrease creep. Zinc may be added in some cases
8 to increase plasticity and strength, while decreasing creep. The mercury is added to wet the
9 alloy particles and to form a pliable, packable material until the metals have been blended
10 to become compounded or bonded. In a compounded or bonded state, mercury does not
11 leach into the patient's body. Nevertheless, although it is not generally publicized, the
12 mercury within the uncured amalgam is a powerful disinfectant that is able to kill much, if
13 not all, of any bacteria within the dental preparation as it comes into contact with the
14 amalgam. It is perhaps for this reason that amalgam fillings often result in lower short-term
15 sensitivity compared to composite restorations.

16
17 **IV. METHODS FOR BONDING AMALGAM RESTORATIVES TO A DENTAL**
18 **SUBSTRATE.**

19 **A. Preparatory Steps.**

20 In general, dental substrates to be repaired using amalgam and other restoratives may
21 be prepared in much the same way as dental substrates that are prepared for use with a
22 composite restorative, or substrates for use with an amalgam restorative prepared using
23 conventional methods. It is believed, however, that the bonding compositions and methods
24 according to the invention allow for the removal of less dental tissue when forming an
25 appropriate dental preparation to be filled by the amalgam restorative.

RECEIVED

WORKMAN, NYDEGGER & SEELEY
A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TENPLE
SALT LAKE CITY, UTAH 84111

1 The dental preparations can be formed using any appropriate cutting, grinding or
2 abrading tool known in the art. Once an appropriately sized dental preparation or hollow has
3 been formed in the tooth, it may be further prepared according to methods commonly
4 practiced when using composite restoratives. Whereas conventional amalgam procedures
5 do not require the removal of the smear layer, primarily because no attempt is made to
6 actually bond the amalgam to the tooth, it may be advantageous to treat the tooth to remove
7 the smear layer and to expose the dentin or dentinal tubules in order to improve the bond
8 strength between the bonding composition and the dental substrate.

9 Dentin contains an enormous number of tubules that radiate outwardly from the pulp
10 chamber. These dentinal tubules are filled with a fluid that is contiguous with the pulp
11 chamber. Although the drilling and cutting of enamel is relatively painless, fluid movement
12 through the dentinal tubules can induce great pain. In addition, once the dentin has been cut,
13 internal pressure within the pulp chamber can cause the fluid within the dentinal tubules to
14 flow out of the tubules and onto the dentinal surface. The cutting of dentin by means of a
15 high speed drill, burr or other cutting or abrading devices, as are typically employed by
16 dentists to clear away tooth decay and shape the dental preparation, can cause the formation
17 of a weakened, semi-attached "smear layer" that remains over the dentin. In addition, the
18 mucous-like fluid from the pulp chamber, which can ooze through the dentin tubules and
19 deposit itself on the smear layer, is not easily dried.

20 As a result, the smear layer has been a major obstacle to obtaining strong bonds
21 between resinous materials and dentin. Therefore, it is advantageous to remove and/or alter
22 the smear layer. It is then advantageous to seal the dentin tubules to provide a bonding
23 substrate and to prevent fluid movement in the dentin tubules, thereby alleviating or reducing
24 sensitivity. The dental bonding compositions, in addition to enhancing the bond between
25 amalgam and a dental substrate, are advantageously able to seal the dentin and the dentin
26 tubules when using the preferred methods described herein.

60 EAST SOUTH TEMPLE
SALT LAKE CITY, UT 84111

B. Bonding an Amalgam Restorative to a Prepared Dental Substrate.

Once an appropriate dental preparation or other targeted dental substrate has been prepared and optionally conditioned to remove or modify the smear layer as described above, it is ready to receive the amalgam restorative. In order to better illustrate how an amalgam restorative can be bonded to a dental substrate utilizing the inventive dental bonding methods disclosed herein, reference is now made to the drawings.

Figure 1 illustrates a tooth 10 that has been drilled, cut or otherwise modified so as to include a dental preparation 12 to which an appropriate restorative material is to be placed. It should be understood that Figure 1 is merely illustrative of a dental preparation and is in no way limiting as to the shape or size of an actual dental preparation that may be appropriate when preparing a tooth according to the invention. In many cases, it will be possible for the dental preparation to be significantly smaller than conventional dental preparations used in conventional amalgam restoration procedures, *e.g.*, formed without overhanging dental tissue designed to mechanically retain the amalgam within the dental preparation, as is generally required using convention amalgam restoration methods.

The dental preparation 12 is preferably cleaned and dried as described above so as to provide a conditioned surface to which a polymerizable material can readily adhere. If during formation of the dental preparation 12 the pulp (not shown) is exposed, any appropriate pulp capping material (not shown) known in the art can be used to cover and protect the pulp.

Figure 2 illustrates a dental preparation 12 into which a uniform layer of a dental bonding composition 14 has been placed. It should be understood, however, that the thickness and uniformity of the bonding composition 14 in Figure 2 is merely illustrative. The actual thicknesses and uniformity of the bonding composition 14 may vary considerably from what is depicted in Figure 2 in actual practice when preparing an actual dental preparation for bonding.

1 The dental bonding composition 14 may be applied utilizing any application means
2 known in the art, including but not limited to, syringes, spatulas, brushes, picks, and the like.
3 Whereas the dental bonding composition 14 is preferably one of the preferred compositions
4 disclosed herein, it should be understood that any dental bonding composition known in the
5 art can be used so long as it can be partially cured to a desired extent prior to packing an
6 uncured amalgam restorative into the dental preparation 12 and then allowed or caused to
7 continue curing after the amalgam has been packed.

8 In one embodiment, the dental bonding composition may include one or more
9 polymerization photoinitiators that trigger polymerization of the one or more polymerizable
10 materials within the dental bonding composition upon exposing the composition to radiant
11 energy 16 (e.g., from a light curing device 18), as illustrated in Figure 3. In a preferred
12 embodiment, the amount of photoinitiator is selected to only partially polymerize or cure the
13 composition, as described more fully above, when exposing the composition to an excess of
14 light. In other embodiments, it may be possible to simply irradiate a light-curable bonding
15 composition for a shorter period of time than would be necessary to fully cure the
16 composition, *i.e.*, for a period of time that causes only partial polymerization of the bonding
17 composition. Whether the dental bonding composition is specially formulated to only
18 partially polymerize when exposed to an excess of light, or whether the practitioner
19 deliberately restricts the intensity and/or duration of the radiant energy in order to only
20 partially cure the bonding composition, Figure 3 illustrates the general use of radiant energy
21 16 emitted from a dental curing light 18 to partially cure the dental bonding composition 14.

22 After the dental bonding composition has been partially cured an appropriate
23 amount, the dental preparation 12 is ready to receive the uncured amalgam restoration
24 material. Figure 4 illustrate a dental bonding composition that is partially cured and that
25 includes two distinct layers that are partially cured to different extents. Although the
26 differential in partial curing may be multi-layered, or be in the form of a gradient rather than

RECEIVED
JAN 24 1994

WORKMAN, NYDEGGER & SEELEY
A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111

1 distinct layers, Figure 4 is useful in generally illustrating the effect of this differential in
2 partial curing. As illustrated, the partially cured dental bonding composition 14 comprises
3 an interior layer 20 that is adjacent to the surface 22 of the dental preparation 12 and that is
4 more fully cured than the exposed upper layer 24 of the bonding composition 14.

5 Without being limited to any particular theory, it is believed that the exposed layer
6 24 remains in a less cured or polymerized state compared to the interior layer 20 because of
7 the polymerization-retarding effect of air. More particularly, the oxygen within air is
8 believed to inhibit polymerization so that the exposed layer 24 comprises an "inhibition" or
9 "inhibited" layer that is significantly less cured than the interior layer 20 adjacent to the
10 dental preparation surface 22. As a result, the exposed layer 24 is considerably more easily
11 deformed and disrupted than the interior layer 20, which is beneficial as described herein.

12 Figure 5 illustrates the act of packing or condensing an uncured amalgam restorative
13 26 into the dental preparation 12 by means of a conventional amalgam packing tool 28. It
14 should be understood, however, that the uncured amalgam 26 may be packed within the
15 dental preparation 12 using any appropriate tool or packing means. In the alternative, other
16 flowable metal restoratives may be used instead of amalgam. Nevertheless, amalgam
17 restoratives are preferred due to their low cost, ready availability and ease of use.

18 In general, uncured amalgam restoratives are viscous pastes that are packed into the
19 dental preparations by means of short, but firm, downward thrusts with the packing tool in
20 order to cause the amalgam to spread out and fill the dental preparation. Significant force
21 is generally necessary to pack the amalgam firmly within the dental preparation. One of the
22 advantages of packing an uncured amalgam restorative into a dental preparation using a
23 packing tool is that the combined action of the packing tool and amalgam causes significant
24 disruption of the deformable bonding composition, particularly the less fully cured inhibition
25 layer.

EXHIBIT 100

WORKMAN, NYDEGGER & SEELEY

A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111

Figure 6 generally illustrates the effect of packing an uncured amalgam 26 into a dental preparation 12 in order to physically disrupt the exterior inhibition layer 24 of the partially cured bonding composition. The upper layer 24 is disrupted and moved around so as to form troughs, peaks and other irregularities that increase the mechanical interface between the bonding composition and the amalgam. Fingers of the bonding composition may extend into the amalgam so as to form roots that firmly anchor the bonding composition and amalgam together upon curing. It should be understood that the disrupted layer 24 depicted in Figure 6 is for illustrative purposes only. The actual shape and degree of disruption may vary greatly from tooth to tooth and in actual dental restoration procedures.

Assuming that the uncured amalgam 26 is packed within the dental preparation 12 in a manner so as to displace all (or substantially all) of the air, the uncured amalgam 26 will assume a conformation that is generally complementary to the conformation of the disrupted inhibition layer 24 of the bonding composition 14. After both the bonding composition 14 and amalgam 26 have become substantially hardened or cured, the irregular, but complementary, interface between the two provide a significant increase in final bond strength of the tooth restoration compared to conventional amalgam restoration methods. The troughs, peaks, fingers, roots, and other irregularities of the dental bonding composition and the corresponding irregularities within the amalgam composition act to mechanically lock the two substances together. It may be useful to think of the interaction as the interaction of complementary puzzle pieces.

The interior layer 20, because it is more fully cured than the exposed layer 24, resists being displaced during packing of the uncured amalgam 26 into the dental preparation 12. Because the interior layer 20 is more fully cured than the exposed layer 24, it forms a more durable bond with the dental preparation surface 22 and it also resists being moved or disrupted during compaction of the amalgam, both of which ensure a more reliable bond between the dental bonding composition 14 and the dental preparation surface 22.

Figure 7 illustrates a restored tooth 10 in which the initially partially cured bonding composition 14 has cured or substantially cured into hardened bonding composition 14' and the initially uncured amalgam 26 has cured or substantially cured into hardened amalgam 26'. In a preferred embodiment, the interaction between the uncured amalgam 26 and the partially cured bonding composition 14 triggers the further polymerization or curing of the bonding composition.

For example, chemical initiators such as benzoyl peroxide, though relatively stable when mixed with polymerizable materials, become unstable when contacted with the uncured amalgam. It is believed that one or more metals within the amalgam trigger the decomposition of the benzoyl peroxide and that the decomposition products, in turn, cause the partially cured polymerizable material within the bonding composition to continue curing. Displacement of the air and accompanying oxygen by the amalgam restorative from the dental preparation facilitates further polymerization of the inhibition layer.

Even though Figure 3 depicts light curing to partially polymerize the dental bonding composition 14, it may be possible in an alternative embodiment to simply include one or more chemical initiators instead of a photoinitiator. A chemical initiator such as benzoyl peroxide (with or without a tertiary amine) may be mixed into the bonding composition in a manner so as to cause controlled polymerization of the bonding composition over a prescribed time period. This allows the bonding composition to be placed within the dental preparation (see Figure 2) within a first prescribed time period. After a second prescribed time period during which the dental bonding composition has been partially cured to an appropriate extent (see Figure 4), an uncured amalgam may be introduced into the dental preparation (see Figures 5 and 6). Thereafter, the chemical initiator causes the polymerizable material to continue curing after packing the amalgam into the dental preparation (see Figure 7). The amalgam may cause further acceleration of the polymerization process in some cases for reasons described herein.

1 The foregoing methods are useful for increasing the bond strength between an
2 amalgam restorative and a dental substrate. Any positive bond between the amalgam and
3 substrate would be an advance in the art of amalgam restorations that do not use a bonding
4 agent. Thus, bond strengths greater than 1 MPa would be an advancement over conventional
5 amalgam restoration techniques. Nevertheless, the compositions and methods disclosed
6 herein preferably yield a bond strength between the amalgam restorative and a dental
7 substrate greater than about 15 MPa, more preferably greater than about 20 MPa, and most
8 preferably greater than about 25 MPa.

9
10 **V. EXAMPLARY BONDING COMPOSITIONS.**

11 The following examples are provided in order to illustrate various bonding
12 compositions related to the present invention. Examples 1-24 disclose bonding compositions
13 that were actually prepared, all of which were found to improve the bond strength between
14 a dental substrate and amalgam compared to conventional amalgam restoration procedures
15 that do not use a bonding agent. Bond strengths of up to 37 MPa were obtained, although
16 there was considerable variability in the bond strengths obtained when testing the
17 compositions of Examples 1-24. Examples 25-28 describe hypothetical, or prophetic,
18 examples of dental bonding compositions according to the invention. While examples 25-28
19 are hypothetical in nature, they are based upon actual mix designs that have been tested or
20 contemplated and are presented in this form in order to more completely illustrate the full
21 scope of the invention.
22

Example 1

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material was formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	19.6
2-Hydroxyethyl Methacrylate (HEMA)	21.2
Barium Oxide Glass (silanated)	17.0
Fluorspar	15.0
Fumed Aluminum Oxide	8.0
Ethanol	8.5
Methacrylic Acid	4.1
Tolu Resinoid	0.7
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.06
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.04
Bis-GMA	5.0
Benzoyl Peroxide	0.8

WORKMAN, NYDEGGER & SEELEY

A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111

Example 2

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material was formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis-Glyceryl Methacrylate Phosphate	19.6
HEMA	20.3
Barium Oxide Glass (silanated)	17.0
Fluorspar	15.0
Fumed Aluminum Oxide	8.0
Ethanol	4.25
Acetone	4.25
Methacrylic Acid	4.1
Tolu Resinoid	0.7
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.06
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.04
Bis-GMA	5.0
Benzoyl Peroxide	0.8

Example 3

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material was formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	19.6
HEMA	21.95
Barium Oxide Glass (silanated)	17.0
Fluorspar	15.0
Fumed Aluminum Oxide	8.0
Ethanol	8.5
Methacrylic Acid	4.1
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.03
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.02
Bis-GMA	5.0
Benzoyl Peroxide	0.8

WORKMAN, NYDEGGER & SEELEY

A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111

Example 4

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material was formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	19.6
HEMA	16.3
Barium Oxide Glass (silanated)	17.0
Fluorspar	15.0
Fumed Aluminum Oxide	7.0
Ethanol	8.5
Methacrylic Acid	4.1
Tolu Resinoid	0.7
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.06
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.04
Bis-GMA	10.0
Benzoyl Peroxide	0.8

Example 5

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material was formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	19.6
HEMA	16.3
Barium Oxide Glass (silanated)	17.0
Fluorspar	15.0
Fumed Aluminum Oxide	8.0
Ethanol	8.5
Methacrylic Acid	4.1
Tolu Resinoid	0.7
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.06
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.04
Bis-GMA	5.0
Benzoyl Peroxide	0.8

Example 6

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material was formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	19.6
HEMA	21.275
Barium Oxide Glass (silanated)	17.0
Fluorspar	15.0
Fumed Aluminum Oxide	8.0
Ethanol	8.5
Methacrylic Acid	4.1
Tolu Resinoid	0.7
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.015
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.01
Bis-GMA	5.0
Benzoyl Peroxide	0.8

WORKMAN, NYDEGGER & SEELEY

A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPL
SALT LAKE CITY, UTAH 84111

Example 7

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material was formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	19.6
HEMA	26.275
Barium Oxide Glass (silanated)	17.0
Fluorspar	15.0
Fumed Aluminum Oxide	8.0
Ethanol	8.5
Methacrylic Acid	4.1
Tolu Resinoid	0.7
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.015
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.01
Benzoyl Peroxide	0.8

WORKMAN, NYDEGGER & SEELEY

A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111

Example 8

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material was formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	19.6
HEMA	21.1
Barium Oxide Glass (silanated)	17.0
Fluorspar	15.0
Fumed Aluminum Oxide	8.0
Ethanol	8.5
Methacrylic Acid	4.1
Tolu Resinoid	0.7
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	1.0
Bis-GMA	5.0

WORKMAN, NYDEGGER & SEELEY

A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111

Example 9

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material was formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	19.6
HEMA	14.1
Barium Oxide Glass (silanated)	17.0
Fluorspar	15.0
Fumed Aluminum Oxide	5.0
Ethanol	8.5
Methacrylic Acid	4.1
Tolu Resinoid	0.7
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.06
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.04
Bis-GMA	5.0

WORKMAN, NYDEGGER & SEELEY

A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111

Example 10

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material was formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	19.6
HEMA	17.1
Barium Oxide Glass (silanated)	17.0
Fluorspar	15.0
Fumed Aluminum Oxide	7.0
Ethanol	8.5
Methacrylic Acid	4.1
Tolu Resinoid	0.7
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.06
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.04
Bis-GMA	10.0

WORKMAN, NYDEGGER & SEELEY

A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111

Example 11

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material was formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	19.6
HEMA	21.95
Barium Oxide Glass (silanated)	17.0
Fluorspar	15.0
Fumed Aluminum Oxide	8.0
Ethanol	8.5
Methacrylic Acid	4.1
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.03
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.02
Bis-GMA	5.0
Benzoyl Peroxide	0.8

WORKMAN, NYDEGGER & SEELEY

A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111

Example 12

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material was formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	19.6
HEMA	17.8
Barium Oxide Glass (silanated)	17.0
Fluorspar	15.0
Fumed Aluminum Oxide	7.0
Ethanol	8.5
Methacrylic Acid	4.1
Tolu Resinoid	0.7
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.06
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.04
Bis-GMA	10.0

WORKMAN, NYDEGGER & SEELEY

A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPL
SALT LAKE CITY, UTAH 84111

Example 13

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material was formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	19.4
HEMA	17.7
Barium Oxide Glass (silanated)	16.9
Fluorspar	14.9
Fumed Aluminum Oxide	6.9
Ethanol	8.4
Methacrylic Acid	4.1
Tolu Resinoid	0.7
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.06
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.04
Bis-GMA	9.9
Benzoyl Peroxide	0.8

Example 14

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material was formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	32.7
HEMA	33.8
Ethanol	14.2
Methacrylic Acid	6.8
Tolu Resinoid	1.2
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	1.0
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.7
Bis-GMA	8.3
Benzoyl Peroxide	1.3

Example 15

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material was formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	32.1
HEMA	22.0
Barium Oxide Glass (silanated)	17.0
Fluorspar	15.0
Fumed Aluminum Oxide	9.0
Methacrylic Acid	4.1
Tolu Resinoid	0.7
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.03
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.02
Benzoyl Peroxide	0.8

WORKMAN, NYDEGGER & SEELEY

A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111

Example 16

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material was formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	28.1
HEMA	21.95
Barium Oxide Glass (silanated)	17.0
Fluorspar	15.0
Fumed Aluminum Oxide	8.0
Methacrylic Acid	4.1
Tolu Resinoid	0.7
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.03
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.02
Bis-GMA	5.0
Benzoyl Peroxide	0.8

WORKMAN, NYDEGGER & SEELEY

A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111

Example 17

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material was formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	21.1
HEMA	21.95
Barium Oxide Glass (silanated)	17.0
Fluorspar	15.0
Fumed Aluminum Oxide	10.0
Methacrylic Acid	4.1
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.03
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.02
Bis-GMA	5.0
Benzoyl Peroxide	0.8
Calcium Hydroxyapatite	5.0

Example 18

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material was formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	28.9
HEMA	21.95
Barium Oxide Glass (silanated)	17.0
Fluorspar	15.0
Fumed Aluminum Oxide	8.0
Methacrylic Acid	4.1
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.03
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.02
Bis-GMA	5.0

WORKMAN, NYDEGGER & SEELEY

A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111

Example 19

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material was formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	25.1
HEMA	21.95
Barium Oxide Glass (silanated)	16.0
Fluorspar	15.0
Fumed Aluminum Oxide	9.0
Ethanol	8.0
Methacrylic Acid	4.1
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.03
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.02
Benzoyl Peroxide	0.8

Example 20

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material was formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	20.5
HEMA	35.0
Barium Oxide Glass (silanated)	16.0
Fluorspar	15.0
Fumed Aluminum Oxide	9.0
Methacrylic Acid	4.1
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.03
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.02
Benzoyl Peroxide	0.8

Example 21

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material was formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	21.1
HEMA	21.95
Barium Oxide Glass (silanated)	15.0
Fluorspar	15.0
Fumed Aluminum Oxide	10.0
Ethanol	12.0
Methacrylic Acid	4.1
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.03
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.02
Benzoyl Peroxide	0.8

Example 22

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material was formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	24.43
HEMA	21.95
Barium Oxide Glass (silanated)	17.0
Fluorspar	15.0
Fumed Aluminum Oxide	8.0
Ethanol	8.0
Methacrylic Acid	4.1
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.02
Benzoyl Peroxide	1.5

Example 23

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material was formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	21.0
HEMA	20.05
Barium Oxide Glass (silanated)	11.0
Fluorspar	15.0
Fumed Aluminum Oxide	14.0
Ethanol	16.0
Methacrylic Acid	4.1
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.03
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.02
Benzoyl Peroxide	0.8

Example 24

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material was formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	19.6
HEMA	21.95
Barium Oxide Glass (silanated)	17.0
Fluorspar	15.0
Fumed Aluminum Oxide	8.0
Ethanol	8.5
Methacrylic Acid	4.1
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.03
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.02
Bis-GMA	5.0
Benzoyl Peroxide	0.8

Example 25

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material is formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	20.1
HEMA	22.45
Barium Oxide Glass (silanated)	17.0
Fluorspar	15.0
Fumed Aluminum Oxide	8.0
Ethanol	8.5
Methacrylic Acid	4.1
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.03
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.02
Bis-GMA	4.0
Benzoyl Peroxide	0.8

The bonding composition of Example 25 is similar to the composition of Example 24, except that the concentration of Bis-GMA is reduced to 4.0%, and the concentrations of bis glycerol methacrylate phosphate and HEMA are each increased by 0.5%. Based on an extrapolation of actual test results, the bond strength obtained when using the composition of Example 25 to bond an amalgam to a dental substrate exceeds, or would be expected to exceed, the bond strength obtained when using the composition of Example 24 to bond an amalgam to a dental substrate.

Example 26

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material is formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	20.6
HEMA	22.95
Barium Oxide Glass (silanated)	17.0
Fluorspar	15.0
Fumed Aluminum Oxide	8.0
Ethanol	8.5
Methacrylic Acid	4.1
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.03
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.02
Bis-GMA	3.0
Benzoyl Peroxide	0.8

The bonding composition of Example 26 is similar to the composition of Example 24, except that the concentration of Bis-GMA is reduced to 3.0%, and the concentrations of bis glycerol methacrylate phosphate and HEMA are each increased by 1.0%. Based on an extrapolation of actual test results, the bond strength obtained when using the composition of Example 26 to bond an amalgam to a dental substrate exceeds, or would be expected to exceed, the bond strengths obtained when using the compositions of Examples 24 and 25 to bond an amalgam to a dental substrate.

Example 27

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material is formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	21.1
HEMA	23.45
Barium Oxide Glass (silanated)	17.0
Fluorspar	15.0
Fumed Aluminum Oxide	8.0
Ethanol	8.5
Methacrylic Acid	4.1
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.03
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.02
Bis-GMA	2.0
Benzoyl Peroxide	0.8

The bonding composition of Example 27 is similar to the composition of Example 24, except that the concentration of Bis-GMA is reduced to 2.0%, and the concentrations of bis glycerol methacrylate phosphate and HEMA are each increased by 1.5%. Based on an extrapolation of actual test results, the bond strength obtained when using the composition of Example 27 to bond an amalgam to a dental substrate exceeds, or would be expected to exceed, the bond strengths obtained when using the compositions of Examples 24-26 to bond an amalgam to a dental substrate.

Example 28

A dental bonding composition suitable for use in increasing the bond strength between a dental substrate and an amalgam restorative material is formed from the following components:

<u>Component</u>	<u>Concentration (wt. %)</u>
Bis Glycerol Methacrylate Phosphate	21.6
HEMA	23.95
Barium Oxide Glass (silanated)	17.0
Fluorspar	15.0
Fumed Aluminum Oxide	8.0
Ethanol	8.5
Methacrylic Acid	4.1
Phosphine Oxide, phenyl bis(2,4,6-trimethyl benzoyl)	0.03
2-Hydroxy-2-methyl-1-phenyl-1-propanone	0.02
Bis-GMA	1.0
Benzoyl Peroxide	0.8

The bonding composition of Example 28 is similar to the composition of Example 24, except that the concentration of Bis-GMA is reduced to 1.0%, and the concentrations of bis glycerol methacrylate phosphate and HEMA are each increased by 2.0%. Based on an extrapolation of actual test results, the bond strength obtained when using the composition of Example 28 to bond an amalgam to a dental substrate exceeds, or would be expected to exceed, the bond strengths obtained when using the compositions of Examples 24-27 to bond an amalgam to a dental substrate.

1 VI. SUMMARY.

2 The present invention provides compositions and methods for bonding an amalgam
3 restorative to a dental substrate. Preferred compositions according to the invention are able
4 to cure in steps so that the amalgam restorative can be packed against a partially cured dental
5 bonding composition that remains deformable and so that the bonding composition continues
6 to cures or harden after placement of the amalgam restorative within the dental preparation.
7 Preferred methods cure any suitable bonding composition in steps so as to provide increased
8 bond strengths as described herein. The compositions and methods provide for increased
9 bond strength between the amalgam restorative and the dental substrate. In a preferred
10 method of use, the preferred compositions and methods may allow the dental practitioner to
11 remove less of the tooth than would otherwise be required using standard amalgam
12 restoration procedures.

13 The present invention may be embodied in other specific forms without departing
14 from its spirit or essential characteristics. The described embodiments are to be considered
15 in all respects only as illustrative and not restrictive. The scope of the invention is, therefore,
16 indicated by the appended claims rather than by the foregoing description. All changes
17 which come within the meaning and range of equivalency of the claims are to be embraced
18 within their scope.

19 What is claimed and desired to be secured by United States Letters Patent is: